

Copy

Attorney Docket No. 21.1977

THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:

Jyunichi KAMAKURA et al.

Application No.: 09/553,316

ATTENTION

Confirmation No.: 4585

CERTIFICATE OF CORRECTION

Filed: April 20, 2000

BRANCH

U.S. Patent No.: 6,922,825 B1

Batch No.:

Issued: July 26, 2005

For: SYSTEM ANALYSIS APPARATUS AND METHOD, AND STORAGE MEDIUM
STORING SYSTEM ANALYSIS PROGRAM

REQUEST FOR CERTIFICATE OF CORRECTION

Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

Sir:

Patentee(s) respectfully request(s) that a Certificate of Correction be issued in the subject patent, pursuant to 35 USC § 254 and 37 CFR § 1.322, to correct the error(s) shown on the attached Form PTO-1050. A check in the amount of \$100 to cover the cost of the Certificate is attached.

One or more of the errors shown on the attached Form PTO-1050 is or are within the responsibility of the undersigned; each thereof is of a clerical or typographical nature or of minor character and occurred in good faith, and the correction thereof is consistent with the prosecution record.

Respectfully submitted,


STAAS & HALSEY LLP

02/10/2006-SZEWIDIE1 00000003-09553316

01 FC:1811 100.00 GP

Void date: 02/10/2006-SZEWIDIE1
02/10/2006 SZEWIDIE1 00000003 -09553316
01 FC:1811 100.00 GP

Date: Feb. 9, 2006

By: 
H. J. Staas
Registration No. 22,010

1201 New York Ave, N.W., 7th Floor
Washington, D.C. 20005
Telephone: (202) 434-1500
Facsimile: (202) 434-1501

02/10/2006 SZEWIDIE1 00000005 6922825
01 FC:1811 100.00 GP

FEB 14 2006

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO : 6,922,825 β 1

DATED : July 26, 2005

INVENTOR(S) : Jyunichi KAMAKURA et al.

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

Title Page, Section (57) Abstract, line 10, change "valves" to --values--.

Column 9, line 44, change "corrected" to --collected--.

* Column 11, line 3, after "in the" insert --at--.

MAILING ADDRESS OF SENDER:

STAAS & HALSEY
1201 New York Avenue, N.W.
7th Floor
Washington, DC 20005

PATENT NO. 6,922,825

No. of add'l copies
@ 304 per page

⇒

FEB 14 2006

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO : 6,922,825 *b1*

DATED : July 26, 2005

INVENTOR(S) : Jyunichi KAMAKURA et al.

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

Title Page, Section (57) Abstract, line 10, change "valves" to --values--.

Column 9, line 44, change "corrected" to --collected--.

* Column 11, line 3, after "in the" insert --at--.

MAILING ADDRESS OF SENDER:

STAAS & HALSEY
1201 New York Avenue, N.W.
7th Floor
Washington, DC 20005

PATENT NO. 6,922,825

No. of add'l copies
@ 304 per page

⇒

FEB 14 2006